# nodated 23/02/2023 product sheet

### COMBI CK-45V









SALES DESCRIPTION

micro-serrated blades.

cient motors.

quality result.

"Brushless" technology.



√ Made from stainless steel and food-grade materials of the highest quality: stainless steel motor block and food-grade aluminium head. Stainless steel bowl with highly-resistant polycarbonate lid.

### Maximum comfort for the user

- Ergonomic design. Maximum comfort for the user.
- √ Lateral product output: it requires less room on the work surface and directs the product avoiding splashing.
- Advanced control panel that is very intuitive to use and offers all the information at a glance.

### Maintenance, safety, hygiene

- ✓ Plunger, lid and hopper easy to remove for changing or cleaning.
- ✓ Combination of security systems: head, covers, bowl, power switch.
- Appliance certified by NSF International (regulations on hygiene, cleaning and materials suitable for contact with foods).
- √ 100% tested.

### **NCLUDES**

- √ Variable speed motor block.
- Large capacity head.
- √ Cutter bowl, with micro-serrated blade rotor.

### **OPTIONAL**

- ☐ Tube head.
- ☐ High production semi-automatic bowl.
- Discs. grids and disc support.
- ☐ Rotor with smooth cutting
- blades.
- ☐ Rotor with perforated cutting blades.
- Support-trollev.
- Grid cleaning kit.

### ACCESSORIES

- ☐ FCC curved slicing discs
- ☐ FCO rippled slicing discs
- □ FFC chipping grids
- ☐ FMC dicing grids
- ☐ FCE julienne discs
- ☐ FR shredding & grating discs
- Disc and grid holder
- Blades for CK / K / KE
- Grid cleaning kit
- □ FC-D slicing discs
- ☐ SH shredding & grating discs

✓ Lightweight and compact design: they weigh less, they occupy less

✓ Improved air/water-tightness since no ventilation is required. √ They generate less noise: improved workplace environment.

It has a variable speed motor block, large-capacity

head and 5.5-lt cutter bowl equipped with a rotor with

Equipped with "brushless" technology: powerful and effi-

√ Maximum efficiency: maintain the torque throughout the speed

✓ Exclusive "force control system": guarantee of a uniform and high

### Cutting function: a perfect cut

- √ High precision settings and comprehensive cutter and disc design aimed at obtaining a perfect cut.
- ✓ It can be fitted with a wide range of discs and grids of the highest cutting quality. Combining these accessories together to obtain more than 70 different types of cuts and grating grades.
- ✓ Exclusive "Force Control System" to optimise and standardise the cutting of each product: acoustic warning when the motor exceeds the pre-established force.

### Cutter function: efficiency and performance

- √ Possibility of programming by time and pulse button.
- Reverse function, ideal for mixing products instead of cutting.
- √ 5.5 litre stainless steel bowl.
- ✓ Polycarbonate lid with built-in "cut&mix" mixer.
- Depending on the purpose, the possibility of using optional smooth or perforated blades.

### **Built to last**







### SPECIFICATIONS

Total loading: 1500 W

### As vegetable preparation machine

Hourly production: 200 Ka - 650 Ka

Inlet opening: 286 cm<sup>2</sup> Disc diameter: 205 mm

Speed as veg. slicer: 300 rpm - 1000 rpm

External dimensions (WxDxH): 391 mm x 400 mm x 652 mm

Net weight (Veg.Prep.): 27 Kg

### As cutter

Bowl capacity: 5.5 l

Speeds as cutter (positions): 300 rpm - 3000 rpm

External dimensions (WxDxH):286 mm x 387 mm x 487 mm

Net weight (Cutter): 18 Kg Noise level (1m.): <70 dB(A) Background noise: 32 dB(A)

### **Crated dimensions**

705 x 415 x 515 mm Volume Packed: 0.15 m<sup>3</sup> Gross weight: 35 Kg

# FOOD PROCESSOR / VEG PREP CO

### **COMBICK-45V**

2 in 1: high capacity vegetable cutter (650 kg/h) + cutter with 5.5 litre bowl.





## **AVAILABLE MODELS**


1050769 Combi vegetable prep.-cutter CK-45V 230/50-60/1


1050770 Combi vegetable prep.-cutter CK-45V 120/50-60/1

1050762 Combi vegetable prep.-cutter CK-45V 230/50-60/1 KSA











Polígono Basarte, 1. 20720 Azkoitia, Spain phone +34 943 15 72 36 sales@sammic.com



Project	Date
Item	Qty

Approved

<sup>\*</sup> Ask for special versions availability