




GENERAL PRICE LIST

NOVEMBER 2024 - REV.1

**YOUR
COOL
DESIGN**

CL 372 V WHITE





Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 620 x 1803 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1940 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°/ 40° HC	54
Catalogue Page	B2

€ 435,00

CL 372 V BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 620 x 1803 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1940 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°/ 40° HC	54
Catalogue Page	B2

€ 441,00

CL 372 VG WHITE





Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 620 x 1863 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1990 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°/ 40° HC	54
Catalogue Page	B2

€ 471,00

CL 372 VG BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 620 x 1863 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1990 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°/ 40° HC	54
Catalogue Page	B2

€ 483,00

CL 372 VS




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 620 x 1863 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1990 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°/ 40° HC	54
Catalogue Page	B4

€ 477,00

CL 372 VGC






Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 650 x 1970 mm
Packaging Dimensions (WxDxH)	660 x 710 x 2130 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°/ 40° HC	54
Catalogue Page	B4

€ 513,00

CL 801 V2GC SL WHITE






Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40' HC
Catalogue Page

0°C / +10°C
940 x 615 x 1983 mm
990 x 665 x 2060 mm
403 Lt
495 Lt
Optional **€275,00** (no assembly)
19
41
B6 **€ 982,00**

CL 801 V2GC SL BLACK





Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40' HC
Catalogue Page

0°C / +10°C
940 x 615 x 1983 mm
990 x 665 x 2060 mm
403 Lt
495 Lt
Optional **€275,00** (no assembly)
19
41
B6 **€ 992,00**

CL 1100 V2GC SL WHITE





Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40' HC
Catalogue Page

0°C / +10°C
1130 x 650 x 2023 mm
1180 x 700 x 2100 mm
670 Lt
764 Lt
Optional **€275,00** (no assembly)
15
30
B6 **€ 1.185,00**

CL 1100 V2GC SL BLACK





Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40' HC
Catalogue Page

0°C / +10°C
1130 x 650 x 2023 mm
1180 x 700 x 2100 mm
670 Lt
764 Lt
Optional **€275,00** (no assembly)
15
30
B6 **€ 1.200,00**

CL 1300 V2GC SL WHITE






Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40' HC
Catalogue Page

0°C / +10°C
1330 x 700 x 2023 mm
1380 x 750 x 2100 mm
756 Lt
912 Lt
Optional **€275,00** (no assembly)
12
25
B6 **€ 1.363,00**

CL 1300 V2GC SL BLACK




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40'/ 40' HC
Catalogue Page

0°C / +10°C
1330 x 700 x 2023 mm
1380 x 750 x 2100 mm
756 Lt
912 Lt
Optional **€275,00** (no assembly)
12
25
B6 **€ 1.378,00**


CL 90 TC SL WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	880 x 712 x 2001 mm
Packaging Dimensions (WxDxH)	921 x 740 x 2140 mm
Net Volume lt	631 Lt
Gross Volume lt	783 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
Catalogue Page	B8
	€ 905,00


CL 90 TC SL BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	880 x 712 x 2001 mm
Packaging Dimensions (WxDxH)	921 x 740 x 2140 mm
Net Volume lt	631 Lt
Gross Volume lt	783 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
Catalogue Page	B8
	€ 926,00


CL 113 TC SL WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1103 x 690 x 2001 mm
Packaging Dimensions (WxDxH)	1145 x 719 x 2189 mm
Net Volume lt	707 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30
Catalogue Page	B8
	€ 1.088,00


CL 113 TC SL BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1103 x 690 x 2001 mm
Packaging Dimensions (WxDxH)	1145 x 719 x 2189 mm
Net Volume lt	707 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30
Catalogue Page	B8
	€ 1.120,00



ICOOL 80 WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	940 x 615 x 2023 mm
Packaging Dimensions (WxDxH)	1000 x 685 x 2060 mm
Net Volume lt	505 Lt
Gross Volume lt	614 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	17
Load capacity CNT 40' / 40' HC	36
Catalogue Page	B10
	€ 1.026,00




ICOOL 80 BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	940 x 615 x 2023 mm
Packaging Dimensions (WxDxH)	1000 x 685 x 2060 mm
Net Volume lt	505 Lt
Gross Volume lt	614 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	17
Load capacity CNT 40' / 40' HC	36
Catalogue Page	B10
	€ 1.052,00




ICOOL 110 WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1130 x 720 x 2023 mm
Packaging Dimensions (WxDxH)	1185 x 770 x 2100 mm
Net Volume lt	758 Lt
Gross Volume lt	879 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30
Catalogue Page	B10
€ 1.218,00	


ICOOL 110 BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1130 x 720 x 2023 mm
Packaging Dimensions (WxDxH)	1185 x 770 x 2100 mm
Net Volume lt	758 Lt
Gross Volume lt	879 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30
Catalogue Page	B10
€ 1.224,00	


ICOOL 88 T WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	880 x 715 x 2009 mm
Packaging Dimensions (WxDxH)	922 x 775 x 2139 mm
Net Volume lt	725 Lt
Gross Volume lt	804 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
Catalogue Page	B12
€ 1.001,00	


ICOOL 107 T WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1070 x 738 x 2106 mm
Packaging Dimensions (WxDxH)	1100 x 770 x 2260 mm
Net Volume lt	818 Lt
Gross Volume lt	920 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	32
Catalogue Page	B12
€ 1.147,00	




ICOOL 107 T BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1070 x 738 x 2106 mm
Packaging Dimensions (WxDxH)	1100 x 770 x 2260 mm
Net Volume lt	818 Lt
Gross Volume lt	920 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	32
Catalogue Page	B12
€ 1.154,00	


THIN COOLER WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	390 x 475 x 1880 mm
Packaging Dimensions (WxDxH)	450 x 550 x 2080 mm
Net Volume lt	133 Lt
Gross Volume lt	160 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	55
Load capacity CNT 40' / 40' HC	110 / 131
€ 431,00	



THIN COOLER BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	390 x 475 x 1880 mm
Packaging Dimensions (WxDxH)	450 x 550 x 2080 mm
Net Volume lt	133 Lt
Gross Volume lt	160 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	55
Load capacity CNT 40' / 40' HC	110 / 131
€ 440,00	



SLIM COOLER 225 T WHITE



Visicooler

Temperature	+1°C / +9°C
External Dimensions (WxDxH)	450 x 497 x 1881 mm
Packaging Dimensions (WxDxH)	510 x 580 x 2020 mm
Net Volume lt	203 Lt
Gross Volume lt	221 Lt
Load capacity CNT 20'	44
Load capacity CNT 40' / 40' HC	92
€ 583,00	


SLIM COOLER 225 T BLACK



Visicooler

Temperature	+1°C / +9°C
External Dimensions (WxDxH)	450 x 497 x 1881 mm
Packaging Dimensions (WxDxH)	510 x 580 x 2020 mm
Net Volume lt	203 Lt
Gross Volume lt	221 Lt
Load capacity CNT 20'	44
Load capacity CNT 40' / 40' HC	92
€ 597,00	




ICOOL 40 WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 624 x 1803 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1940 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54
€ 492,00	




ICOOL 40 BLACK



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 624 x 1803 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1940 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54
€ 513,00	



ICOOL 40 G WHITE



Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 624 x 1850 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1990 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54
€ 555,00	

ICOOOL 40 G BLACK




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 624 x 1850 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1990 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54
€ 577,00	

ICOOOL 40 G WHITE SZ




SUB ZERO




Visicooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 624 x 1850 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1990 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54
€ 636,00	

ICOOOL 40 G BLACK SZ



SUB ZERO



Visicooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	600 x 624 x 1850 mm
Packaging Dimensions (WxDxH)	660 x 710 x 1990 mm
Net Volume lt	342 Lt
Gross Volume lt	382 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54
€ 658,00	

ICOOOL 401 WHT




Visicooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 649 x 1801 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2005 mm
Gross Volume lt	360 Lt
Load capacity CNT 40'	57
Load capacity CNT 40' HC	71

€ 520,00

ICOOOL 401 BLK



Visicooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 649 x 1801 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2005 mm
Gross Volume lt	360 Lt
Load capacity CNT 40'	57
Load capacity CNT 40' HC	71

€ 528,00

ICOOOL 401 G SZ WHT



SUB ZERO




Visicooler


Temperature	-2°C / +6°C
External Dimensions (WxDxH)	600 x 649 x 1801 mm
Packaging Dimensions (WxDxH)	650 x 685 x 2058 mm
Gross Volume lt	360 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40' / 40' HC	54

€ 623,00

ICOOOL 401 G SZ BLK



SUB ZERO





Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 40' / 40' HC

-2°C / +6°C
600 x 649 x 1801 mm
650 x 685 x 2058 mm
360 Lt
Optional **€275,00** (no assembly)
54

€ 634,00

CV 180 BEV




Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

0°C / +10°C
595 x 700 x 1804 mm
645 x 770 x 1996 mm
409 Lt
425 Lt
27
54

€ 1.157,00

ILLUMIA 630 BLK






Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (only receiver)
Load capacity CNT 40' HC

-1°C / +4°C
670 x 830 x 2140 mm
694 x 860 x 2300 mm
537 Lt
550 Lt
Optional **€150,00** (no assembly)
44

€ 1.522,00

ILLUMIA 1270 BLK





Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (only receiver)
Load capacity CNT 40' HC

-1°C / +4°C
1310 x 786 x 2140 mm
1335 x 815 x 2300 mm
1103 Lt
1200 Lt
Optional **€150,00** (no assembly)
23

€ 2.769,00

ILLUMIA 1620 BLK





Visicooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (only receiver)
Load capacity CNT 40' HC

-1°C / +4°C
1660 x 786 x 2140 mm
1685 x 815 x 2300 mm
1432 Lt
1555 Lt
Optional **€150,00** (no assembly)
14

€ 3.798,00

ICOOOL 30 G WHITE






Back bar cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

0°C / +10°C
595 x 645 x 840 mm
610 x 680 x 985 mm
125 Lt
162 Lt
Optional **€275,00** (no assembly)
54
114 / 171

€ 469,00



ICOOOL 30 G BLACK



Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	595 x 645 x 840 mm
Packaging Dimensions (WxDxH)	610 x 680 x 985 mm
Net Volume lt	125 Lt
Gross Volume lt	162 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	54
Load capacity CNT 40' / 40' HC	114 / 171
€ 472,00	

COLDWALL 300






Wall cooler

Temperature	-2°C / +10°C
External Dimensions (WxDxH)	1350 x 565 x 852 mm
Packaging Dimensions (WxDxH)	1440 x 630 x 1045 mm
Net Volume lt	254 Lt
Gross Volume lt	280 Lt
Load capacity CNT 20'	26
Load capacity CNT 40' / 40' HC	52
Black sheet € 940,00	
INOX 304 € 985,00	

Available in Stainless
Steel AISI 304




S 85 XH



Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 530 x 835 mm
Packaging Dimensions (WxDxH)	645 x 570 x 1020 mm
Net Volume lt	100 Lt
Gross Volume lt	121 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144
€ 401,00	




S 185 XH



Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	900 x 530 x 835 mm
Packaging Dimensions (WxDxH)	950 x 570 x 1020 mm
Net Volume lt	150 Lt
Gross Volume lt	188 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	96
€ 569,00	



S 285 XH



Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1350 x 530 x 835 mm
Packaging Dimensions (WxDxH)	1400 x 570 x 1020 mm
Net Volume lt	241 Lt
Gross Volume lt	293 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	32
Load capacity CNT 40' / 40' HC	64
€ 780,00	

S 98 XH





Back bar cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 530 x 896 mm
Packaging Dimensions (WxDxH)	645 x 570 x 1080 mm
Net Volume lt	118 Lt
Gross Volume lt	133 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	72
Load capacity CNT 40' / 40' HC	144
€ 412,00	

S 198 XH



Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	900 x 530 x 896 mm
Packaging Dimensions (WxDxH)	950 x 570 x 1080 mm
Net Volume lt	196 Lt
Gross Volume lt	207 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	96
	€ 573,00

S 298 XH


Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	1350 x 530 x 896 mm
Packaging Dimensions (WxDxH)	1400 x 570 x 1080 mm
Net Volume lt	292 Lt
Gross Volume lt	324 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	32
Load capacity CNT 40' / 40' HC	64
	€ 790,00

BB 221 SD


Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	1462 x 513 x 860 mm
Packaging Dimensions (WxDxH)	1522 x 575 x 1000 mm
Net Volume lt	201 Lt
Gross Volume lt	315 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	28
Load capacity CNT 40'	60
	€ 1.210,00

BB 322 SD


Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	2002 x 513 x 860 mm
Packaging Dimensions (WxDxH)	2062 x 575 x 1000 mm
Net Volume lt	320 Lt
Gross Volume lt	482 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	20
Load capacity CNT 40'	44
	€ 1.474,00

BB 423 SD



Back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	2542 x 513 x 860 mm
Packaging Dimensions (WxDxH)	2602 x 575 x 1000 mm
Net Volume lt	449 Lt
Gross Volume lt	586 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40'	32
	€ 1.722,00

BB 200 GD


Glass doors back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	1462 x 535 x 860 mm
Packaging Dimensions (WxDxH)	1522 x 575 x 1000 mm
Net Volume lt	250 Lt
Gross Volume lt	315 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	28
Load capacity CNT 40'	60
	€ 1.000,00

BB 300 GD


Glass doors back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	2002 x 535 x 860 mm
Packaging Dimensions (WxDxH)	2062 x 575 x 1000 mm
Net Volume lt	386 Lt
Gross Volume lt	445 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	20
Load capacity CNT 40'	44
€ 1.249,00	

BB 400 GD


Glass doors back bar cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	2542 x 535 x 860 mm
Packaging Dimensions (WxDxH)	2602 x 575 x 1000 mm
Net Volume lt	518 Lt
Gross Volume lt	586 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40'	32
€ 1.538,00	

CKC 90


Glass doors back bar cooler



Temperature	+3°C / +8°C
External Dimensions (WxDxH)	910 x 510 x 566 mm
Packaging Dimensions (WxDxH)	970 x 570 x 640 mm
Net Volume lt	110 Lt
Gross Volume lt	132 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	60
Load capacity CNT 40'	144
€ 613,00	

CKC 100


Glass doors back bar cooler



Temperature	+3°C / +8°C
External Dimensions (WxDxH)	1110 x 510 x 566 mm
Packaging Dimensions (WxDxH)	1170 x 570 x 640 mm
Net Volume lt	150 Lt
Gross Volume lt	180 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	51
Load capacity CNT 40'	120
€ 745,00	

CL 20 FL WHT / CL 20 FL BLK


Countertop display cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	330 x 396 x 472 mm
Packaging Dimensions (WxDxH)	390 x 458 x 540 mm
Net Volume lt	20 Lt
Gross Volume lt	35 Lt
Load capacity CNT 20'	288
Load capacity CNT 40'	580
Load capacity CNT 40' HC	580
€ 174,00	

CL 50 FL WHT / CL 50 FL BLK



Countertop display cooler



Temperature	0°C / +10°C
External Dimensions (WxDxH)	435 x 486 x 500 mm
Packaging Dimensions (WxDxH)	492 x 558 x 570 mm
Net Volume lt	50 Lt
Gross Volume lt	76 Lt
Load capacity CNT 20'	176
Load capacity CNT 40'	384
Load capacity CNT 40' HC	384
€ 198,00	

CL 70 FL WHT / CL 70 FL BLK

Countertop display cooler






Temperature	0°C / +10°C
External Dimensions (WxDxH)	435 x 486 x 685 mm
Packaging Dimensions (WxDxH)	492 x 558 x 755 mm
Net Volume lt	70 Lt
Gross Volume lt	87 Lt
Load capacity CNT 20'	132
Load capacity CNT 40'	288
Load capacity CNT 40' HC	288

€ 233,00

CL 40 FLC / CL 40 FLC BLK

Countertop display cooler






Temperature	0°C / +10°C
External Dimensions (WxDxH)	400 x 415 x 733 mm
Packaging Dimensions (WxDxH)	450 x 460 x 777 mm
Net Volume lt	38 Lt
Gross Volume lt	40 Lt
Load capacity CNT 20'	180
Load capacity CNT 40'	390
Load capacity CNT 40' HC	390

€ 180,00

CL 52 FLC / CL 52 FLC BLK

Countertop display cooler






Temperature	0°C / +10°C
External Dimensions (WxDxH)	420 x 460 x 793 mm
Packaging Dimensions (WxDxH)	485 x 495 x 852 mm
Net Volume lt	49 Lt
Gross Volume lt	52 Lt
Load capacity CNT 20'	96
Load capacity CNT 40'	200
Load capacity CNT 40' HC	300

€ 206,00

CL 80 FLC / CL 80 FLC BLK

Countertop display cooler




Temperature	0°C / +10°C
External Dimensions (WxDxH)	460 x 470 x 933 mm
Packaging Dimensions (WxDxH)	510 x 500 x 977 mm
Net Volume lt	80 Lt
Gross Volume lt	98 Lt
Load capacity CNT 20'	88
Load capacity CNT 40'	184
Load capacity CNT 40' HC	184

€ 230,00

MB 30 ECO BLACK/WHITE

Minibar




Temperature	+4°C / +8°C
External Dimensions (WxDxH)	419 x 423 x 512 mm
Packaging Dimensions (WxDxH)	440 x 470 x 560 mm
Net Volume lt	26 Lt
Gross Volume lt	30 Lt
Load capacity CNT 20'	144
Load capacity CNT 40'	288
Load capacity CNT 40' HC	288

€ 160,00

MB 40 ECO BLACK/WHITE

Minibar




Temperature	+4°C / +8°C
External Dimensions (WxDxH)	441 x 457 x 566 mm
Packaging Dimensions (WxDxH)	464 x 494 x 614 mm
Net Volume lt	34 Lt
Gross Volume lt	38 Lt
Load capacity CNT 20'	144
Load capacity CNT 40'	288
Load capacity CNT 40' HC	288

€ 163,00

CL 300 PSK

Cooler with solid hinged lids




Temperature	0°C / +10°C
External Dimensions (WxDxH)	1015 x 720 x 845 mm
Packaging Dimensions (WxDxH)	1070 x 760 x 920 mm
Net Volume lt	275 Lt
Gross Volume lt	288 Lt
Load capacity CNT 20'	32
Load capacity CNT 40'	66
Load capacity CNT 40' HC	66

€ 464,00

CL 400 PSK

Cooler with solid hinged lids




Temperature	0°C / +10°C
External Dimensions (WxDxH)	1305 x 635 x 875 mm
Packaging Dimensions (WxDxH)	1345 x 750 x 950 mm
Net Volume lt	355 Lt
Gross Volume lt	410 Lt
Load capacity CNT 20'	34
Load capacity CNT 40'	50
Load capacity CNT 40' HC	50

€ 497,00

BL 65 F

Can cooler




Temperature	0°C / +10°C
External Dimensions (WxDxH)	Ø 445 x 965 mm
Packaging Dimensions (WxDxH)	460 x 460 x 1015 mm
Net Volume lt	62 Lt
Gross Volume lt	65 Lt
Load capacity CNT 20'	120
Load capacity CNT 40'	250
Load capacity CNT 40' HC	250

€ 191,00

BTG 90

Cooler with solid hinged lids




Temperature	+2°C / +8°C
External Dimensions (WxDxH)	935 x 687 x 888 mm
Packaging Dimensions (WxDxH)	970 x 740 x 1010 mm
Net Volume lt	188 Lt
Gross Volume lt	279 Lt
Load capacity CNT 20'	34
Load capacity CNT 40'	72

€ 502,00

EKG 270 C

Visicooler




Temperature	0°C / +10°C
External Dimensions (WxDxH)	540 x 550 x 1560 mm
Packaging Dimensions (WxDxH)	580 x 620 x 1580 mm
Net Volume lt	220 Lt
Gross Volume lt	270 Lt
Load capacity CNT 40'	104

EKOFRÖST

€ 343,00

EKG 390 C

Visicooler




Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 655 x 1950 mm
Packaging Dimensions (WxDxH)	650 x 670 x 2050 mm
Net Volume lt	365 Lt
Gross Volume lt	390 Lt
Load capacity CNT 40'	54

EKOFRÖST

€ 467,00

EKG 390 C BLACK

Visicooler



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 40'


0°C / +10°C
600 x 655 x 1950 mm
650 x 670 x 2050 mm
365 Lt
390 Lt
54

EKOFRÖST

€ 478,00

EKG 390 VG

Visicooler



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 40'


0°C / +10°C
595 x 655 x 1830 mm
650 x 670 x 1940 mm
365 Lt
390 Lt
72

EKOFRÖST

€ 458,00

EKG 390 VG BLACK

Visicooler



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 40'



0°C / +10°C
595 x 655 x 1830 mm
650 x 670 x 1940 mm
365 Lt
390 Lt
72

EKOFRÖST

€ 467,00

EKG 450 C

Visicooler



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Load capacity CNT 40'


0°C / +10°C
650 x 600 x 1950 mm
670 x 700 x 1915 mm
400 Lt
450 Lt
51

EKOFRÖST

€ 558,00

METAL SHELVES

FOR MODELS




CL 372 V WHITE - MNS016
CL 372 V BLACK - MNS018
CL 372 VG WHITE - MNS016
CL 372 VG BLACK - MNS018
CL 372 VGC - MNS016
CL 372 VS - MNS016
ICOOL 40 WHITE - MNS016
ICOOL 40 BLACK - MNS018
ICOOL 40 G WHITE - MNS016

ICOOL 40 G BLACK - MNS018
ICOOL 30 - MNS016

(WHITE) MNS 016 € 42,00
(BLACK) MNS 018 € 33,00

WOODEN SHELVES

FOR MODELS



CV 180 BEV
CL 372 V
CL 372 VG
CL 372 VGC
ICOOL 40
ICOOL 40 G
ICOOL 30

MNS 077 € 40,00
MNS 060 € 36,00

DOOR REVERSIBILITY KIT

FOR MODELS



CL 372 V
CL 372 VG
CL 372 VS
CL 372 VGC

KIT 016 - € 90,00
KIT 003 - € 85,00

ICOOL 40
ICOOL 40 G

KIT 019 - € 85,00

SLIM COOLER BLACK
SLIM COOLER WHITE

KIT 020 - € 85,00
KIT 021 - € 91,00

SMART LINK WIFI KIT

FOR MODELS



CL 801 V2GC SL
CL 1100 V2GC SL
CL 1300 V2GC SL
ICOOL 40 G
ICOOL 88 T
ICCOOL 107 T
ICOOL 80 JUMBO
ICOOL 110 JUMBO
THIN COOLER

CL 90 TC SL
CL 113 TC SL
ICOOL 30
CKC 90/100/130
BB 221/322/423 SD
BB 200/300/400 GD

SMART KIT - € 275,00

SMART LINK WIFI (ONLY RECEIVER)

FOR MODELS




ILLUMIA 630
ILLUMIA 1270
ILLUMIA 1620

TRS081WIFI - € 150,00

BASKETS

FOR MODELS




CL 300 PSK
CL 400 PSK

CST002 - € 34,20

CLW 420 L MEDIUM WALNUT

Wine cooler





Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional **€275,00** (no assembly)
24

€ 1.174,00

CLW 420 L NATURAL

Wine cooler





Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional **€275,00** (no assembly)
24

€ 1.174,00

CLW 420 L WHITE

Wine cooler




Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional **€275,00** (no assembly)
24

€ 1.174,00

CLW 420 L BLACK

Wine cooler





Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
655 x 635 x 1880 mm
735 x 715 x 2050 mm
342 Lt
382 Lt
Optional **€275,00** (no assembly)
24

€ 1.174,00

CLW 820 L MEDIUM WALNUT

Wine cooler





Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional **€275,00x2** (no assembly)
12

€ 2.382,00

CLW 820 L NATURAL

Wine cooler






Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional **€275,00x2** (no assembly)
12

€ 2.382,00

CLW 820 L WHITE

Wine cooler




Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional **€275,00x2** (no assembly)
12

€ 2.382,00

CLW 820 L BLACK

Wine cooler






Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'

+4°C / +18°C | +16°C/+10°C/+5°C
1295 x 635 x 1880 mm
1345 x 740 x 2050 mm
684 Lt
764 Lt
Optional **€275,00x2** (no assembly)
12

€ 2.382,00

CLW 372 VG

Wine cooler




Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

+4°C / +18°C | +16°C/+10°C/+5°C
600 x 624 x 1863 mm
660 x 710 x 1990 mm
342 Lt
382 Lt
Optional **€275,00** (no assembly)
24
54

€ 537,00

ICOOL 40 W

Wine cooler





Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

+4°C / +18°C | +16°C/+10°C/+5°C
600 x 650 x 1850 mm
660 x 710 x 1990 mm
342 Lt
382 Lt
Optional **€275,00** (no assembly)
24
54

€ 575,00

CLW 300 XH

Wine cooler






Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

0°C/+10°C
600 x 530 x 1820 mm
645 x 560 x 2007 mm
243 Lt
300 Lt
Optional **€275,00** (no assembly)
36
72 / 96

€ 572,00

CLW 500 XH

Wine cooler






Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 20'
Load capacity CNT 40' / 40' HC

0°C/+10°C
900 x 530 x 1820 mm
950 x 560 x 2007 mm
384 Lt
477 Lt
Optional **€275,00** (no assembly)
24
54

€ 942,00

CW 20 G1TB






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	295 x 573 x 820 mm
Packaging Dimensions (WxDxH)	332 x 625 x 870 mm
Net Volume lt	58 Lt
Gross Volume lt	60 Lt
Load capacity CNT 20'	144
Load capacity CNT 40'	305
Load capacity CNT 40' HC	344

€ 387,00

CW 37 G1TB





Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	380 x 578 x 820 mm
Packaging Dimensions (WxDxH)	435 x 655 x 870 mm
Net Volume lt	85 Lt
Gross Volume lt	88 Lt
Load capacity CNT 20'	108
Load capacity CNT 40'	229
Load capacity CNT 40' HC	268

€ 428,00

CW 37 G2TB






Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	380 x 578 x 820 mm
Packaging Dimensions (WxDxH)	435 x 655 x 870 mm
Net Volume lt	80 Lt
Gross Volume lt	85 Lt
Load capacity CNT 20'	108
Load capacity CNT 40'	229
Load capacity CNT 40' HC	268

€ 446,00

CW 46 G2TB






Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	595 x 573 x 820 mm
Packaging Dimensions (WxDxH)	660 x 625 x 1015 mm
Net Volume lt	143 Lt
Gross Volume lt	148 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	114
Load capacity CNT 40' HC	152

€ 580,00

CW 51 G1TB






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 573 x 820 mm
Packaging Dimensions (WxDxH)	660 x 625 x 1015 mm
Net Volume lt	145 Lt
Gross Volume lt	150 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	114
Load capacity CNT 40' HC	152

€ 547,00

VINARIUS 40 BLK






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

€ 519,00

VINARIUS 40 WHT






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

€ 519,00

VINARIUS 40 GRV






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

€ 519,00

VINARIUS 40 GRN






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

€ 519,00

VINARIUS 40 ORN






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	540 x 550 x 830 mm
Packaging Dimensions (WxDxH)	590 x 590 x 870 mm
Net Volume lt	121 Lt
Gross Volume lt	126 Lt
Load capacity CNT 20'	72
Load capacity CNT 40'	153
Load capacity CNT 40' HC	153

€ 519,00

DW 82 INOX






Wine cooler

Temperature	+2°C / +10°C
External Dimensions (WxDxH)	595 x 580 x 820 mm
Packaging Dimensions (WxDxH)	660 x 625 x 1001 mm
Net Volume lt	137 Lt
Gross Volume lt	145 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	114
Load capacity CNT 40' HC	152

€ 840,00

CW 120 G1TB






Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 700 x 1210 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1411 mm
Net Volume lt	257 Lt
Gross Volume lt	265 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	108
Load capacity CNT 40' HC	108

€ 859,00

CW 120 G2TB





Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	595 x 700 x 1210 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1411 mm
Net Volume lt	250 Lt
Gross Volume lt	263 Lt
Load capacity CNT 20'	54
Load capacity CNT 40'	108
Load capacity CNT 40' HC	108

€ 885,00

CW 160 G1TB





Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 700 x 1604 mm
Packaging Dimensions (WxDxH)	645 x 770 x 17965 mm
Net Volume lt	358 Lt
Gross Volume lt	375 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

€ 1.025,00

CW 160 G2TB





Wine cooler

Temperature	+2°C/+12°C +12°C/+20°C
External Dimensions (WxDxH)	595 x 700 x 1604 mm
Packaging Dimensions (WxDxH)	645 x 770 x 17965 mm
Net Volume lt	350 Lt
Gross Volume lt	373 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

€ 1.058,00

CV 180 BEV




Wine cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	409 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

€ 1.157,00

CW 180 G1TB




Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	409 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

€ 1.182,00

CW 180 G2TB





Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	400 Lt
Gross Volume lt	423 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

€ 1.191,00

DW 170 1T





Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	595 x 550 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 620 x 1996 mm
Net Volume lt	298 Lt
Gross Volume lt	318 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	57
Load capacity CNT 40' HC	57

€ 1.097,00

DW 170 2T






Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	595 x 550 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 620 x 1950 mm
Net Volume lt	292 Lt
Gross Volume lt	318 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	57
Load capacity CNT 40' HC	57

€ 1.132,00

DW 190 SILVER





Wine cooler

Temperature	+2°C / +20°C • 0°C / +15°C
External Dimensions (WxDxH)	595 x 685 x 1795 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	416 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

€ 1.499,00

DW 190 BLACK





Wine cooler

Temperature	+2°C / +20°C • 0°C / +15°C
External Dimensions (WxDxH)	595 x 685 x 1795 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	416 Lt
Gross Volume lt	425 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	54

€ 1.443,00

SLIM WINE SW 112 1TB





Wine cooler

Temperature	+2°C / +20°C
External Dimensions (WxDxH)	450 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	500 x 770 x 1996 mm
Net Volume lt	311 Lt
Gross Volume lt	385 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	69

€ 1.085,00

SLIM WINE SW 105 2TB





Wine cooler

Temperature	+2°C/+12°C • +12°C/+20°C
External Dimensions (WxDxH)	450 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	500 x 770 x 1996 mm
Net Volume lt	305 Lt
Gross Volume lt	385 Lt
Load capacity CNT 20'	27
Load capacity CNT 40'	54
Load capacity CNT 40' HC	69

€ 1.112,00

CW 355 G2TB






Wine cooler

Temperature	(2x) +2°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	(2x) 645 x 770 x 1996 mm
Net Volume lt	818 Lt
Gross Volume lt	850 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 2.503,00

CW 355 G3TB






Wine cooler

Temperature	+2°/+20°C • +2°/+12°C • +12°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	(2x) 645 x 770 x 1996 mm
Net Volume lt	809 Lt
Gross Volume lt	848 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 2.514,00

CW 355 G4TB






Wine cooler

Temperature	(2x) +2°/+12°C • (2x) +12°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	(2x) 650 x 770 x 1996 mm
Net Volume lt	800 Lt
Gross Volume lt	846 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 2.521,00

SW 224 2TB






Wine cooler

Temperature	(2x) +2°/+20°C
External Dimensions (WxDxH)	920 x 690 x 1804 mm
Packaging Dimensions (WxDxH)	1020 x 770 x 1996 mm
Net Volume lt	610 Lt
Gross Volume lt	770 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	34
Load capacity CNT 40' HC	42

€ 2.368,00

SW 224 3TB





Wine cooler

Temperature	+2°C /+12°C • +12°C/+20°C
External Dimensions (WxDxH)	920 x 690 x 1804 mm
Packaging Dimensions (WxDxH)	1020 x 770 x 1996 mm
Net Volume lt	616 Lt
Gross Volume lt	770 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	34
Load capacity CNT 40' HC	42

€ 2.379,00

SW 224 4TB






Wine cooler

Temperature	(2x) +2°/+12°C • (2x) +12°/+20°C
External Dimensions (WxDxH)	920 x 690 x 1804 mm
Packaging Dimensions (WxDxH)	1020 x 770 x 1996 mm
Net Volume lt	622 Lt
Gross Volume lt	770 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	34
Load capacity CNT 40' HC	42

€ 2.386,00

NORCIA 290 3T

Wine / Cheese and cold cuts cooler






Temperature	+2°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1065 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1165 x 770 x 1996 mm
Net Volume lt	752 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 2.960,00

NORCIA 290 4T

Wine / Cheese and cold cuts cooler






Temperature	+2°/+12°C • +12°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1065 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1165 x 770 x 1996 mm
Net Volume lt	746 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 2.984,00

NORCIA 300 V

Wine / Cheese and cold cuts cooler






Temperature	0°/+10°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1310 x 770 x 1996 mm
Net Volume lt	850 Lt
Gross Volume lt	880 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 3.146,00

NORCIA 360 3T

Wine / Cheese and cold cuts cooler






Temperature	2°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1310 x 770 x 1996 mm
Net Volume lt	752 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 3.313,00

NORCIA 360 4T

Wine / Cheese and cold cuts cooler





Temperature	+2°/+12°C • +12°/+20°C • (2x) 0°/+20°C
External Dimensions (WxDxH)	1210 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	1310 x 770 x 1996 mm
Net Volume lt	746 Lt
Gross Volume lt	840 Lt
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 3.323,00

SOMMELIER 4


Wine Dispenser



Temperature	+4°C / +18°C
External Dimensions (WxDxH)	650 x 325 x 610 mm
Packaging Dimensions (WxDxH)	715 x 390 x 755 mm
Capacity	4 Bottiglie
Load capacity CNT 20'	144
Load capacity CNT 40'	297
Load capacity CNT 40' HC	396

€ 1.198,00

SOMMELIER 6





Wine Dispenser

Temperature	+4°C / +18°C
External Dimensions (WxDxH)	845 x 380 x 641 mm
Packaging Dimensions (WxDxH)	910 x 440 x 800 mm
Capacity	6 Bottiglie
Load capacity CNT 20'	96
Load capacity CNT 40'	201
Load capacity CNT 40' HC	201

€ 1.758,00


SOMMELIER 8



Wine Dispenser


Temperature	+4°C / +18°C
External Dimensions (WxDxH)	1002 x 359 x 645 mm
Packaging Dimensions (WxDxH)	1070 x 430 x 800 mm
Capacity	8 Bottiglie
Load capacity CNT 20'	81
Load capacity CNT 40'	171
Load capacity CNT 40' HC	171

€ 2.285,00

METAL SHELVES
FOR MODELS


CLW 372 VG
ICOOOL 40W
CLW 420 L
CLW 820 L


MNS 018 - € 33,00

WOODEN SHELVES
FOR MODELS


CLW 420 L
CLW 820 L
CLW 372 VG
ICOOOL 40 W
CW 180

MNS 060 - € 36,00

MNS 077 - € 40,00

SMART LINK WIFI KIT
FOR MODELS


CLW 420 L
CLW 820 L
CLW 372 VG
ICOOOL 40 W

SMART KIT - € 275,00

DOOR REVERSIBILITY KIT
FOR MODELS


CLW 372 VG
ICOOOL 40 W

KIT 003 - € 85,00

KIT 019 - € 85,00

NITROGEN BOTTLE
FOR MODELS




SOMMELIER 4
SOMMELIER 6
SOMMELIER 8

BMB 001 - € 78,50

PASTRY FROZEN PRODUCTS

DELUXE 4V BLACK

Four-sided glass pastry cabinet





Temperature	2°C / +10°C
External Dimensions (WxDxH)	675 x 695 x 1900 mm
Packaging Dimensions (WxDxH)	720 x 750 x 2010 mm
Net Volume lt	440 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48

€ 1.321,00

DELUXE 92 PSV

Four-sided glass pastry bench






Temperature	+2°C / +10°C
External Dimensions (WxDxH)	900 x 740 x 1200 mm
Packaging Dimensions (WxDxH)	980 x 830 x 1350 mm
Net Volume lt	370 Lt
Gross Volume lt	415 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	28 / 56

€ 1.290,00

DELUXE 122 PSV

Four-sided glass pastry bench






Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1200 x 740 x 1200 mm
Packaging Dimensions (WxDxH)	1280 x 830 x 1350 mm
Net Volume lt	495 Lt
Gross Volume lt	555 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	11
Load capacity CNT 40' / 40' HC	23 / 46

€ 1.439,00

DELUXE 152 PSV

Four-sided glass pastry bench




Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1500 x 740 x 1200 mm
Packaging Dimensions (WxDxH)	1580 x 830 x 1350 mm
Net Volume lt	620 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	7
Load capacity CNT 40' / 40' HC	14 / 28

€ 1.706,00

DELUXE 93 PSV

Four-sided glass pastry bench





Temperature	+2°C / +10°C
External Dimensions (WxDxH)	900 x 740 x 1300 mm
Packaging Dimensions (WxDxH)	980 x 830 x 1430 mm
Net Volume lt	415 Lt
Gross Volume lt	460 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	28

€ 1.444,00

DELUXE 123 PSV

Four-sided glass pastry bench





Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1200 x 740 x 1300 mm
Packaging Dimensions (WxDxH)	1280 x 830 x 1430 mm
Net Volume lt	550 Lt
Gross Volume lt	610 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	11
Load capacity CNT 40' / 40' HC	23

€ 1.619,00

PASTRY FROZEN PRODUCTS


DELUXE 153 PSV



Four-sided glass pastry bench

Temperature	+2°C / +10°C
External Dimensions (WxDxH)	1500 x 740 x 1300 mm
Packaging Dimensions (WxDxH)	1580 x 830 x 1430 mm
Net Volume lt	690 Lt
Gross Volume lt	770 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	7
Load capacity CNT 40' / 40' HC	14
	€ 1.965,00


DLX 70



Countertop display cooler

Temperature	0°C / +18°C
External Dimensions (WxDxH)	700 x 560 x 730 mm
Packaging Dimensions (WxDxH)	785 x 645 x 850 mm
Net Volume lt	120 Lt
Gross Volume lt	130 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	50
Load capacity CNT 40' / 40' HC	100 / 150
	€ 599,00

DLX 90



Countertop display cooler

Temperature	0°C / +18°C
External Dimensions (WxDxH)	900 x 560 x 730 mm
Packaging Dimensions (WxDxH)	985 x 645 x 850 mm
Net Volume lt	160 Lt
Gross Volume lt	175 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	42
Load capacity CNT 40' / 40' HC	84 / 126
	€ 677,00

DLH 70



Heated countertop display

Temperature	+30°C / +80°C
External Dimensions (WxDxH)	660 x 530 x 730 mm
Packaging Dimensions (WxDxH)	840 x 610 x 850 mm
Net Volume lt	95 Lt
Gross Volume lt	105 Lt
Load capacity CNT 20'	50
Load capacity CNT 40' / 40' HC	100 / 150
	€ 378,00

DLH 90



Heated countertop display

Temperature	+30°C / +80°C
External Dimensions (WxDxH)	900 x 530 x 730 mm
Packaging Dimensions (WxDxH)	980 x 610 x 850 mm
Net Volume lt	145 Lt
Gross Volume lt	160 Lt
Load capacity CNT 20'	42
Load capacity CNT 40' / 40' HC	84 / 126
	€ 448,00

DLH 120




Heated countertop display

Temperature	+30°C / +80°C
External Dimensions (WxDxH)	1200 x 530 x 730 mm
Packaging Dimensions (WxDxH)	1280 x 610 x 850 mm
Net Volume lt	205 Lt
Gross Volume lt	225 Lt
Load capacity CNT 20'	28
Load capacity CNT 40' / 40' HC	56 / 84
	€ 572,00

PASTRY FROZEN PRODUCTS

VICTORIA 65 NFP WHITE/BLACK

Four-sided glass pastry cabinet




Temperature	0°C / +8°C
External Dimensions (WxDxH)	650 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	760 x 740 x 2170 mm
Net Volume lt	319 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°	48

€ 1.420,00

VICTORIA 85 NFP WHITE/BLACK

Four-sided glass pastry cabinet




Temperature	0°C / +8°C
External Dimensions (WxDxH)	850 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	950 x 740 x 2050 mm
Net Volume lt	439 Lt
Load capacity CNT 20°	18
Load capacity CNT 40°	38

€ 1.656,00

VICTORIA 65 NFN WHITE/BLACK

Four-sided glass pastry cabinet




Temperature	-18°C / -21°C
External Dimensions (WxDxH)	650 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	760 x 740 x 2170 mm
Net Volume lt	319 Lt
Load capacity CNT 20°	24
Load capacity CNT 40°	48

€ 1.732,00

VICTORIA 85 NFN WHITE/BLACK

Four-sided glass pastry cabinet





Temperature	-18°C / -21°C
External Dimensions (WxDxH)	850 x 650 x 1950 mm
Packaging Dimensions (WxDxH)	950 x 740 x 2050 mm
Net Volume lt	439 Lt
Load capacity CNT 20°	18
Load capacity CNT 40°	38

€ 2.175,00

VICTORIA 132 NFN BLACK

Four-sided glass pastry cabinet



Temperature	-18°C / -21°C
External Dimensions (WxDxH)	1320 x 648 x 1950 mm
Packaging Dimensions (WxDxH)	1400 x 715 x 2050 mm
Net Volume lt	579 Lt
Load capacity CNT 20°	12
Load capacity CNT 40°	24

€ 3.336,00

SLIM FREEZER 225 T WHITE


Vertical freezer



Temperature	-24°C / -18°C
External Dimensions (WxDxH)	494 x 521 x 1915 mm
Packaging Dimensions (WxDxH)	520 x 590 x 2060 mm
Net Volume lt	168 Lt
Gross Volume lt	226 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20°	43
Load capacity CNT 40° / 40° HC	89

€ 849,00

SLIM FREEZER 225 T BLACK





Vertical freezer

Temperature	-24°C / -18°C
External Dimensions (WxDxH)	494 x 521 x 1915 mm
Packaging Dimensions (WxDxH)	520 x 590 x 2060 mm
Net Volume lt	168 Lt
Gross Volume lt	226 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	43
Load capacity CNT 40' / 40' HC	89

€ 871,00

FR 372 VGC ST





Vertical freezer

Temperature	-18°C / -24°C
External Dimensions (WxDxH)	640 x 670 x 2056 mm
Packaging Dimensions (WxDxH)	650 x 710 x 2160 mm
Net Volume lt	361 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

€ 965,00

FR 372 V ST WHITE





Vertical freezer

Temperature	-18°C / -24°C
External Dimensions (WxDxH)	640 x 670 x 1875 mm
Packaging Dimensions (WxDxH)	650 x 710 x 1975 mm
Net Volume lt	361 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

€ 933,00

FR 372 V ST BLACK



Vertical freezer

Temperature	-18°C / -24°C
External Dimensions (WxDxH)	640 x 670 x 1875 mm
Packaging Dimensions (WxDxH)	650 x 710 x 1975 mm
Net Volume lt	361 Lt
Gross Volume lt	382 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

€ 942,00

FR 570 VGC NF





Vertical freezer

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	670 x 700 x 1980 mm
Packaging Dimensions (WxDxH)	720 x 730 x 2120 mm
Net Volume lt	360 Lt
Gross Volume lt	570 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48

€ 1.221,00

FR 1240 VGC NF



Vertical freezer


Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1220 x 700 x 1980 mm
Packaging Dimensions (WxDxH)	1270 x 730 x 2120 mm
Net Volume lt	800 Lt
Gross Volume lt	1240 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	13
Load capacity CNT 40' / 40' HC	27

€ 1.939,00

PASTRY FROZEN PRODUCTS

FR 55 FL WHT

Countertop display freezer




Temperature	-25°C / -18°C
External Dimensions (WxDxH)	595 x 545 x 610 mm
Packaging Dimensions (WxDxH)	690 x 640 x 730 mm
Net Volume lt	55 Lt
Gross Volume lt	57 Lt
Load capacity CNT 20'	81
Load capacity CNT 40'	162
Load capacity CNT 40' HC	162

€ 452,00

FR 55 FL BLK

Countertop display freezer




Temperature	-25°C / -18°C
External Dimensions (WxDxH)	595 x 545 x 610 mm
Packaging Dimensions (WxDxH)	690 x 640 x 730 mm
Net Volume lt	55 Lt
Gross Volume lt	57 Lt
Load capacity CNT 20'	81
Load capacity CNT 40'	162
Load capacity CNT 40' HC	162

€ 452,00

ICE 7

Ice-cream Showcase




Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1305 x 635 x 1240 mm
Packaging Dimensions (WxDxH)	1355 x 700 x 965 mm
Glas unit packaging dimensions (WxDxH)	1390 x 620 x 250 mm
Net /Gross Volume lt	337 Lt / 381 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	44
Load capacity CNT 40' HC	50

€ 715,00

ICE 8

Ice-cream Showcase




Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1555 x 635 x 1240 mm
Packaging Dimensions (WxDxH)	1610 x 700 x 965 mm
Glas unit packaging dimensions (WxDxH)	1650 x 620 x 250 mm
Net /Gross Volume lt	414 Lt / 467 Lt
Load capacity CNT 20'	22
Load capacity CNT 40'	42
Load capacity CNT 40' HC	42

€ 761,00

FR 200 PFFK

Chest freezer with sliding flat glass lids




Temperature	-13°C / -23°C
External Dimensions (WxDxH)	725 x 635 x 875 mm
Packaging Dimensions (WxDxH)	780 x 695 x 960 mm
Net Volume lt	168 Lt
Gross Volume lt	196 Lt
Load capacity CNT 20'	48
Load capacity CNT 40'	102
Load capacity CNT 40' HC	102

€ 385,00

FR 300 PFFK

Chest freezer with sliding flat glass lids




Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1015 x 635 x 875 mm
Packaging Dimensions (WxDxH)	1065 x 695 x 960 mm
Net Volume lt	261 Lt
Gross Volume lt	303 Lt
Load capacity CNT 20'	32
Load capacity CNT 40'	68
Load capacity CNT 40' HC	68

€ 414,00

FR 400 PFFK

Chest freezer with sliding flat glass lids




Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1305 x 635 x 875 mm
Packaging Dimensions (WxDxH)	1355 x 695 x 960 mm
Net Volume lt	355 Lt
Gross Volume lt	410 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	50
Load capacity CNT 40' HC	50

€ 485,00

FR 500 PFFK

Chest freezer with sliding flat glass lids




Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1555 x 635 x 875 mm
Packaging Dimensions (WxDxH)	1605 x 695 x 960 mm
Net Volume lt	436 Lt
Gross Volume lt	503 Lt
Load capacity CNT 20'	22
Load capacity CNT 40'	48
Load capacity CNT 40' HC	48

€ 552,00

FR 200 PAC/PAF

Chest freezer with curved sliding glass lids/with sloped sliding glass lids




Temperature	-13°C / -23°C
External Dimensions (WxDxH)	725 x 635 x 875 mm
Packaging Dimensions (WxDxH)	770 x 695 x 920 mm
Net Volume lt	158 Lt
Gross Volume lt	187 Lt
Load capacity CNT 20'	48
Load capacity CNT 40'	102
Load capacity CNT 40' HC	102

€ 387,00

FR 200 PS K

Chest freezer with solid hinged lids




Temperature	-18°C / -24°C
External Dimensions (WxDxH)	725 x 720 x 845 mm
Packaging Dimensions (WxDxH)	780 x 760 x 920 mm
Net Volume lt	177 Lt
Gross Volume lt	186 Lt
Load capacity CNT 20'	42
Load capacity CNT 40'	90
Load capacity CNT 40' HC	90

€ 318,00

FR 300 PS K

Chest freezer with solid hinged lids




Temperature	-18°C / -24°C
External Dimensions (WxDxH)	1015 x 720 x 845 mm
Packaging Dimensions (WxDxH)	1070 x 760 x 920 mm
Net Volume lt	275 Lt
Gross Volume lt	288 Lt
Load capacity CNT 20'	32
Load capacity CNT 40'	66
Load capacity CNT 40' HC	66

€ 370,00

FR 400 PS K

Chest freezer with solid hinged lids






Temperature	-18°C / -24°C
External Dimensions (WxDxH)	1305 x 720 x 845 mm
Packaging Dimensions (WxDxH)	1360 x 760 x 920 mm
Net Volume lt	373 Lt
Gross Volume lt	391 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	50
Load capacity CNT 40' HC	50

€ 420,00

FR 500 PS K

Chest freezer with solid hinged lids



Temperature	-18°C / -24°C
External Dimensions (WxDxH)	1555 x 720 x 845 mm
Packaging Dimensions (WxDxH)	1610 x 760 x 920 mm
Net Volume lt	458 Lt
Gross Volume lt	479 Lt
Load capacity CNT 20'	20
Load capacity CNT 40'	42
Load capacity CNT 40' HC	42

€ 500,00

FR 600 PS K

Chest freezer with solid hinged lids




Temperature	-18°C / -24°C
External Dimensions (WxDxH)	2055 x 720 x 845 mm
Packaging Dimensions (WxDxH)	2100 x 760 x 920 mm
Net Volume lt	607 Lt
Gross Volume lt	655 Lt
Load capacity CNT 20'	16
Load capacity CNT 40'	32
Load capacity CNT 40' HC	32

€ 650,00

FRP 400 PSSL

Chest freezer with solid sliding lids




Temperature	-22°C / -9°C
External Dimensions (WxDxH)	1283 x 670 x 895 mm
Packaging Dimensions (WxDxH)	1355 x 695 x 960 mm
Net Volume lt	327 Lt
Gross Volume lt	387 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	50
Load capacity CNT 40' HC	71

€ 547,00

FR 300 PSSL

Chest freezer with solid sliding lids




Temperature	-15°C / -23°C
External Dimensions (WxDxH)	1015 x 635 x 920 mm
Packaging Dimensions (WxDxH)	1065 x 695 x 960 mm
Net Volume lt	261 Lt
Gross Volume lt	303 Lt
Load capacity CNT 20'	30
Load capacity CNT 40'	68
Load capacity CNT 40' HC	68

€ 433,00

FR 500 PSSL

Chest freezer with solid sliding lids





Temperature	-15°C / -23°C
External Dimensions (WxDxH)	1555 x 635 x 920 mm
Packaging Dimensions (WxDxH)	1605 x 695 x 960 mm
Net Volume lt	436 Lt
Gross Volume lt	503 Lt
Load capacity CNT 20'	20
Load capacity CNT 40'	48
Load capacity CNT 40' HC	48

€ 600,00

FR 300 FLP

Chest freezer with flip-flop lids






Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1060 x 630 x 875 mm
Packaging Dimensions (WxDxH)	1080 x 760 x 970 mm
Net Volume lt	275 Lt
Gross Volume lt	288 Lt
Load capacity CNT 20'	30
Load capacity CNT 40'	66
Load capacity CNT 40' HC	66

€ 397,00

PASTRY FROZEN PRODUCTS

FR 400 FLP

Chest freezer with flip-flop lids






Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1305 x 630 x 875 mm
Packaging Dimensions (WxDxH)	1360 x 760 x 970 mm
Net Volume lt	373 Lt
Gross Volume lt	391 Lt
Load capacity CNT 20'	24
Load capacity CNT 40'	50
Load capacity CNT 40' HC	50

€ 454,00

FR 500 FLP

Chest freezer with flip-flop lids





Temperature	-13°C / -23°C
External Dimensions (WxDxH)	1555 x 630 x 875 mm
Packaging Dimensions (WxDxH)	1610 x 760 x 970 mm
Net Volume lt	458 Lt
Gross Volume lt	479 Lt
Load capacity CNT 20'	20
Load capacity CNT 40'	42
Load capacity CNT 40' HC	42

€ 549,00

CREAM 990 BT

Ice-cream deep freezer





Temperature	-14°C / -22°C
External Dimensions (WxDxH)	740 x 990 x 2010 mm
Packaging Dimensions (WxDxH)	775 x 1030 x 2040 mm
Net Volume lt	680 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30

€ 1.448,00

PSX 990 TN

Pastry cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	740 x 990 x 2010 mm
Packaging Dimensions (WxDxH)	775 x 1030 x 2040 mm
Net Volume lt	680 Lt
Gross Volume lt	852 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30

€ 1.283,00

CRN 10

Neutral countertop display



Temperature	Neutral
External Dimensions (WxDxH)	555 x 361 x 312 mm
Packaging Dimensions (WxDxH)	610 x 430 x 370 mm
Net Volume	44 Lt
Gross Volume	44 Lt

EKOFRÖST

€ 88,00

CRN 20

Neutral countertop display



Temperature	Neutral
External Dimensions (WxDxH)	555 x 361 x 379 mm
Packaging Dimensions (WxDxH)	610 x 430 x 440 mm
Net Volume	50 Lt
Gross Volume	50 Lt

EKOFRÖST

€ 104,00

CRN 30

Neutral countertop display



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume
Gross Volume


Neutral
406 x 340 x 618 mm
480 x 400 x 680 mm
56 Lt
60 Lt

EKOFRÖST

€ 169,00

CRB 20

Neutral countertop display



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume
Gross Volume

Neutral
361*605*514 mm
430*680*580 mm
59 Lt
70 Lt

EKOFRÖST

€ 172,00

BRD 70

Neutral countertop display



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume
Gross Volume

Neutral
684 x 457 x 516 mm
725 x 515 x 590 mm
70 Lt
100 Lt

EKOFRÖST

€ 347,00

BRD 100

Neutral countertop display



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume
Gross Volume

Neutral
989 x 457 x 516 mm
1030 x 515 x 590 mm
105 Lt
150 Lt

EKOFRÖST

€ 465,00

CRH 55.1

Heated countertop display



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume
Gross Volume

+30° C / +90 °C
555 x 361 x 312 mm
610 x 430 x 370 mm
24 Lt
35 Lt

EKOFRÖST

€ 196,00

CRH 55.2

Heated countertop display



Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume
Gross Volume

+30° C / +90 °C
555 x 361 x 379 mm
610 x 430 x 440 mm
32 Lt
50 Lt

EKOFRÖST

€ 215,00

PASTRY FROZEN PRODUCTS

CRH 70.2

Heated countertop display



Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	700 x 400 x 372 mm
Packaging Dimensions (WxDxH)	760 x 475x 430 mm
Net Volume	48 Lt
Gross Volume	80 Lt

EKOFRÖST

€ 259,00

CRH 70.3

Heated countertop display



Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	700 x 400 x 498 mm
Packaging Dimensions (WxDxH)	760 x 475 x 555 mm
Net Volume	73 Lt
Gross Volume	115 Lt

EKOFRÖST

€ 317,00

FOOD 60

Heated countertop display




Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	600*703*704 mm
Packaging Dimensions (WxDxH)	675*790*860 mm
Net Volume	126 Lt
Gross Volume	171 Lt

EKOFRÖST

€ 605,00

FOOD 80

Heated countertop display



Temperature	+30° C / +90 °C
External Dimensions (WxDxH)	800*703*704 mm
Packaging Dimensions (WxDxH)	875*790*860 mm
Net Volume	
Gross Volume	

EKOFRÖST

€ 690,00

SMART LINK WIFI KIT

FOR MODELS




DELUXE 4V
DELUXE 92/122/152 PSV
DELUXE 93/123/153 PSV
DLX 70/90
SLIM FREEZER 225T
CREAM 990 BT
PSX 990 TN
FR 570
FR 1240

SMART KIT - € 275,00

BASKETS

FOR MODELS




FR 200 PFF K
FR 300 PFF K
FR 400 PFF K
FR 500 PFF K

CST 002 - € 34,20

FR 152 PAC/PAF
FR 200 PAC/PAF
FR 300 PAC/PAF
FR 400 PAC/PAF
FR 500 PAC/PAF

CST 008 - € 36,00

THIN AGER




Meat storage and display cooler

Temperature	0°C / +4°C
External Dimensions (WxDxH)	390 x 475 x 1880 mm
Packaging Dimensions (WxDxH)	450 x 550 x 2080 mm
Net/Gross Volume lt	133 / 160 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	55
Load capacity CNT 40'	110
Load capacity CNT 40' HC	131

€ 553,00

KLIMEAT 600 BLK





Meat-ageing and storage display cooler

Temperature	-1°C / +2°C Umid. 70-80%
External Dimensions (WxDxH)	615 x 760 x 2005 mm
Packaging Dimensions (WxDxH)	670 x 820 x 2100 mm
Net Volume lt	450 Lt
Gross Volume lt	470 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 40' HC	48

€ 2.350,00

KLIMEAT 1200 BLK




Meat-ageing and storage display cooler

Temperature	-1°C / +2°C Umid. 70-80%
External Dimensions (WxDxH)	1230 x 760 x 2005 mm
Packaging Dimensions (WxDxH)	1280 x 820 x 2100 mm
Net Volume lt	970 Lt
Gross Volume lt	1010 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 40' HC	23

€ 3.485,00

SF 180 INOX



Cabinet for cheese and cold cuts

Temperature	0° C / +20 °C 0° C / +20 °C
External Dimensions (WxDxH)	595 x 700 x 1804 mm
Packaging Dimensions (WxDxH)	645 x 770 x 1996 mm
Net Volume lt	441 Lt
Gross Volume lt	455 Lt
Load capacity CNT 20'	27
Load capacity CNT 40' / 40' HC	54

€ 1.486,00

ABT 03 TOP





Blast chiller

Temperature	-35°C / +5°C
External Dimensions (WxDxH)	600 x 650 x 430 mm
Packaging Dimensions (WxDxH)	730 x 740 x 580 mm
Net Volume lt	30 Lt
Gross Volume lt	33 Lt
Load capacity CNT 40' HC	144

€ 1.019,00

ABT 05





Blast chiller

Temperature	-35°C / +5°C
External Dimensions (WxDxH)	800 x 815 x 1015 mm
Packaging Dimensions (WxDxH)	830 x 845 x 1070 mm
Net Volume lt	130 Lt
Gross Volume lt	169 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	52

€ 1.765,00

ABT 10



Blast chiller

Temperature	-35°C / +5°C
External Dimensions (WxDxH)	800 x 815 x 1015 mm
Packaging Dimensions (WxDxH)	830 x 845 x 1070 mm
Net Volume lt	130 Lt
Gross Volume lt	169 Lt
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	52

€ 2.834,00

SUSHI 120



Sushi showcase

Temperature	0°C / +12°C
External Dimensions (WxDxH)	1177 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1260 x 500 x 520 mm
Net Volume lt	31 Lt
Gross Volume lt	42 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	76
Load capacity CNT 40' HC	210

€ 577,00

SUSHI 135



Sushi showcase

Temperature	0°C / +12°C
External Dimensions (WxDxH)	1353 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1440 x 500 x 520 mm
Net Volume lt	38 Lt
Gross Volume lt	52 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	64
Load capacity CNT 40' HC	160

€ 621,00

SUSHI 150



Sushi showcase

Temperature	0°C / +12°C
External Dimensions (WxDxH)	1529 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1610 x 500 x 520 mm
Net Volume lt	45 Lt
Gross Volume lt	62 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	56
Load capacity CNT 40' HC	155

€ 648,00

SUSHI 180



Sushi showcase

Temperature	0°C / +12°C
External Dimensions (WxDxH)	1800 x 406 x 318 mm
Packaging Dimensions (WxDxH)	1880 x 500 x 520 mm
Net Volume lt	59 Lt
Gross Volume lt	82 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	48
Load capacity CNT 40' HC	125

€ 674,00

SH 150




Sushi showcase

Temperature	0°C / +6°C
External Dimensions (WxDxH)	1500 x 415 x 300 mm
Packaging Dimensions (WxDxH)	1581 x 532 x 471 mm
Net Volume lt	59,7 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	52
Load capacity CNT 40'	116 / 145

€ 718,00

SH 180

Sushi showcase



Temperature	0°C / +6°C
External Dimensions (WxDxH)	1800 x 415 x 300 mm
Packaging Dimensions (WxDxH)	1881 x 532 x 471 mm
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Net Volume lt	76,6 Lt
Load capacity CNT 20'	48
Load capacity CNT 40'/ 40' HC	96 / 120

€ 814,00

FISHOW 70

Refrigerated food display cabinet



Temperature	+2°C / +12°C
External Dimensions (WxDxH)	689 x 874 x 419 mm
Packaging Dimensions (WxDxH)	779 x 960 x 610 mm
Net Volume lt	100 Lt
Gross Volume lt	112 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	54
Load capacity CNT 40' HC	144

€ 579,00

FISHOW 100

Refrigerated food display cabinet



Temperature	+2°C / +12°C
External Dimensions (WxDxH)	1014 x 874 x 419 mm
Packaging Dimensions (WxDxH)	1104 x 960 x 610 mm
Net Volume lt	148 Lt
Gross Volume lt	160 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	36
Load capacity CNT 40' HC	96

€ 933,00

RWX 1200

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1200 x 395 x 225 mm
High with glasses	427 mm
Packaging Dimensions (WxDxH)	1240 x 435 x 260 mm
GN stainless steel trays capacity	N° 3 GN1/3 + N° 1 GN1/2
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	161
Load capacity CNT 40'/ 40' HC	322

€ 318,00

RWX 1400

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1400 x 395 x 225 mm
High with glasses	427 mm
Packaging Dimensions (WxDxH)	1440 x 435 x 260 mm
GN stainless steel trays capacity	N° 4 GN1/3 + N° 1 GN1/2
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	143
Load capacity CNT 40'/ 40' HC	287

€ 349,00

RWX 1500

Refrigerated food display cabinet





Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1500 x 395 x 225 mm
High with glasses	427 mm
Packaging Dimensions (WxDxH)	1540 x 435 x 260 mm
GN stainless steel trays capacity	N° 5 GN1/3 + N° 1 GN1/2
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	129
Load capacity CNT 40'/ 40' HC	259

€ 359,00

RWX 1800

Refrigerated food display cabinet





Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1800 x 395 x 225 mm
High with glasses	427 mm
Packaging Dimensions (WxDxH)	1840 x 435 x 260 mm
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
GN stainless steel trays capacity	N° 8 GN1/3
Load capacity CNT 20'	112
Load capacity CNT 40' / 40' HC	224

€ 402,00

RWX 2000

Refrigerated food display cabinet



Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2000 x 395 x 225 mm
High with glasses	427 mm
Packaging Dimensions (WxDxH)	2040 x 435 x 260 mm
GN stainless steel trays capacity	N° 9 GN1/3
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	101
Load capacity CNT 40' / 40' HC	203

€ 415,00

GN 200 PS TN

Gastronorm cabinet



A




Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

€ 366,00

GN 200 G TN

Gastronorm cabinet



C



Temperature	+2°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

€ 446,00

GN 200 PS BT

Gastronorm cabinet




Temperature	-22°C / -15°C
External Dimensions (WxDxH)	600 x 625 x 850 mm
Packaging Dimensions (WxDxH)	660 x 725 x 1000 mm
Capacity	200 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	48
Load capacity CNT 40' / 40' HC	108

€ 392,00

GN 400 PS TN

Gastronorm cabinet



D




Temperature	0°C / +10°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	54

€ 565,00

GN 400 PS BT

Gastronorm cabinet





Temperature	-22°C / -15°C
External Dimensions (WxDxH)	600 x 625 x 1860 mm
Packaging Dimensions (WxDxH)	660 x 725 x 2000 mm
Capacity	400 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20"	24
Load capacity CNT 40"/ 40" HC	54

€ 584,00

GN 600 PS TN

Gastronorm cabinet





Temperature	0°C / +10°C
External Dimensions (WxDxH)	775 x 760 x 1860
Packaging Dimensions (WxDxH)	850 x 790 x 2000
Capacity	600 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20"	14
Load capacity CNT 40"/ 40" HC	30

€ 712,00

GN 600 PS BT

Gastronorm cabinet




Temperature	-22°C / -15°C
External Dimensions (WxDxH)	775 x 760 x 1860
Packaging Dimensions (WxDxH)	850 x 790 x 2000
Capacity	600 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20"	14
Load capacity CNT 40"/ 40" HC	30

€ 728,00

GN 770 TN

Gastronorm cabinet



Temperature	0°C / +10°C
External Dimensions (WxDxH)	800 x 700 x 2130 mm
Packaging Dimensions (WxDxH)	825 x 765 x 2300 mm
Net Volume lt	678 Lt
Gross Volume lt	728 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40"/ 40" HC	30

€ 851,00

GN 770 TNG

Gastronorm cabinet





Temperature	0°C / +10°C
External Dimensions (WxDxH)	800 x 700 x 2130 mm
Packaging Dimensions (WxDxH)	825 x 765 x 2300 mm
Net Volume lt	678 Lt
Gross Volume lt	728 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40"/ 40" HC	30

€ 822,00

AXF 800 TN


Stainless steel cabinet




Temperature	-2°C / +8°C
External Dimensions (WxDxH)	740 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	760 x 905 x 2150 mm
Net Volume lt	408 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20"	18
Load capacity CNT 40"/ 40" HC	39

€ 1.179,00

AXF 800 BT




B





Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	740 x 875 x 2090 mm
Packaging Dimensions (WxDxH)	760 x 905 x 2150 mm
Net Volume lt	408 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
€ 1.358,00	

AXT 710 TN




E




Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	700 x 830 x 2050 mm
Packaging Dimensions (WxDxH)	750 x 885 x 2125 mm
Net Volume lt	604 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
€ 1.174,00	

AXT 1520 TN




E





Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1400 x 830 x 2050 mm
Packaging Dimensions (WxDxH)	1450 x 885 x 2125 mm
Net Volume lt	1334 Lt
Gross Volume lt	1400 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	10
Load capacity CNT 40' / 40' HC	21
€ 1.724,00	

AXT 710 BT




F





Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	700 x 830 x 2050 mm
Packaging Dimensions (WxDxH)	750 x 885 x 2125 mm
Net Volume lt	604 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
€ 1.487,00	

AXT 1520 BT




F





Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1400 x 830 x 2050 mm
Packaging Dimensions (WxDxH)	1450 x 885 x 2125 mm
Net Volume lt	1334 Lt
Gross Volume lt	1400 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	10
Load capacity CNT 40' / 40' HC	21
€ 2.088,00	

AX 400 TNV - GN1/1




E





Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	680 x 700 x 2010 mm
Packaging Dimensions (WxDxH)	710 x 790 x 2040 mm
Net Volume lt	360 Lt
Gross Volume lt	500 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
€ 829,00	

AX 700 TN - GN2/1



E




Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	740 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	765 x 875 x 2040 mm
Net Volume lt	503 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
	€ 968,00

AX 700 TNG

Glass doors version




E





Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	740 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	765 x 875 x 2040 mm
Net Volume lt	503 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
	€ 1.066,00

AX 1500 TN




E



Stainless steel cabinet

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1480 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	1520 x 870 x 2030 mm
Net Volume lt	1006 Lt
Gross Volume lt	1476 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	6
Load capacity CNT 40' / 40' HC	13
	€ 1.794,00

AX 400 BTV - GN1/1




F



Stainless steel cabinet

Temperature	-20°C / -10°C
External Dimensions (WxDxH)	680 x 700 x 2010 mm
Packaging Dimensions (WxDxH)	710 x 790 x 2040 mm
Net Volume lt	360 Lt
Gross Volume lt	500 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 1.101,00

AX 700 BT - GN2/1



F




Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	740 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	765 x 875 x 2040 mm
Net Volume lt	503 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
	€ 1.133,00

AX 700 BTG

Glass doors version




F





Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	740 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	765 x 875 x 2040 mm
Net Volume lt	503 Lt
Gross Volume lt	700 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40' / 40' HC	39
	€ 1.467,00

AX 1500 BT



F





Stainless steel cabinet

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1480 x 830 x 2010 mm
Packaging Dimensions (WxDxH)	1520 x 870 x 2030 mm
Net Volume lt	1006 Lt
Gross Volume lt	1476 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	6
Load capacity CNT 40' / 40' HC	13
	€ 1.959,00

AX 600 FISH




E




Fish cabinet

Temperature	-5°C / +5°C
External Dimensions (WxDxH)	680 x 810 x 2000 mm
Packaging Dimensions (WxDxH)	715 x 840 x 2070 mm
Net Volume lt	470 Lt
Gross Volume lt	537 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	21
Load capacity CNT 40' / 40' HC	42
	€ 1.290,00

SALADETTE S 901 TOP




D




Saladette bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	900 x 700 x 860 mm
Packaging Dimensions (WxDxH)	970 x 765 x 1030 mm
Net Volume lt	166 Lt
Gross Volume lt	257 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	36
Load capacity CNT 40' / 40' HC	72
	€ 574,00

SALADETTE S 903 TOP



D





Saladette bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1365 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1420 x 755 x 1055 mm
Net Volume lt	249 Lt
Gross Volume lt	400 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 858,00

SALADETTE S 903 PZ




C




Saladette bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1365 x 700 x 1050 mm
Packaging Dimensions (WxDxH)	1420 x 765 x 1195 mm
Net Volume lt	249 Lt
Gross Volume lt	400 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 961,00

PZ 01 C



C






Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	1545 x 840 x 1050 mm
Net Volume lt	152 Lt
Gross Volume lt	251 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32
	€ 1.362,00

PZ 02

C






Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	1545 x 840 x 1050 mm
Net Volume lt	304 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32
	€ 1.151,00

PZ 02 C

C






Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2025 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	2055 x 840 x 1050 mm
Net Volume lt	304 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	28
	€ 1.420,00

PZ 03



C



Pizza bench

Temperature	+2°C / +8°C
External Dimensions (WxDxH)	2025 x 800 x 1000 mm
Packaging Dimensions (WxDxH)	2055 x 840 x 1050 mm
Net Volume lt	456 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	12
Load capacity CNT 40' / 40' HC	28
	€ 1.269,00

DRAWER CABINET






Catering Equipment

Temperature	Not refrigerated
External Dimensions (WxDxH)	515 x 768 x 820 mm
Packaging Dimensions (WxDxH)	565 x 835 x 860 mm
Internal dimensions drawer	404 x 624 x 68 mm
Drawer n.	7
	€ 645,00

CAX 2100 TN - GN1/1

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1400 x 740 x 910 mm
Net Volume lt	206 Lt
Gross Volume lt	314 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 916,00

CAX 2100 TNG

Glass doors version

D




Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1400 x 740 x 910 mm
Net Volume lt	206 Lt
Gross Volume lt	314 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 812,00

CAX 2200 TN WITH SPLASHBACK

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1400 x 740 x 1010 mm
Net Volume lt	206 Lt
Gross Volume lt	314 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 957,00

CAX 2200 TNG WITH SPLASHBACK

Glass doors version

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1400 x 740 x 1010 mm
Net Volume lt	206 Lt
Gross Volume lt	314 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 830,00

CAX 3100 TN - GN1/1

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 910 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.060,00

CAX 3100 TNG

Glass doors version

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 910 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.148,00

CAX 3110 TN (2x1/2)

1 Refrigerated room
with N.2 x 1/2 drawers

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 910 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.301,00

CAX 3130 TN (3x1/3)

1 Refrigerated room
with N.3 x 1/3 drawers

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 910 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.406,00

CAX 3140 TN (4x1/2)

2 Refrigerated rooms
with N.2 x 1/2 drawers

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 910 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.510,00

CAX 3200 TN WITH SPLASHBACK

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 1010 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	38
	€ 1.132,00

CAX 3200 TNG WITH SPLASHBACK

Glass doors version

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 1010 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	38
Catalogue Page	C44
	€ 1.015,00

CAX 4100 TN - GN1/1

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.307,00

CAX 4100 TNG

Glass doors version

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.371,00

CAX 4110 TN (2x1/2)

1 Refrigerated room
with N.2 x 1/2 drawers

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.516,00

CAX 4120 TN (1x2/3 + 1x1/3)

1 Refrigerated room
with 1/3 + 2/3 drawers

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C44
	€ 1.516,00

CAX 4130 TN (3x1/3)

1 Refrigerated room
with N.3 x 1/3 drawers

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.620,00

CAX 4140 TN (4x1/2)

2 Refrigerated rooms
with N.2 x 1/2 drawers

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.725,00

CAX 4150 TN (6x1/3)

2 Refrigerated rooms
with N.3 x 1/3 drawers

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.934,00

CAX 4200 TN WITH SPLASHBACK

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 1010 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.333,00

CAX 4200 TNG WITH SPLASHBACK

Glass doors version

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 700 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 1010 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	32
Catalogue Page	C46
	€ 1.397,00

CAX 2100 BT

Refrigerated counter

E





Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1360 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1400 x 740 x 910 mm
Net Volume lt	206 Lt
Gross Volume lt	314 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
Catalogue Page	C42
	€ 1.060,00

CAX 2200 BT

Refrigerated counter

E






Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1360 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1400 x 740 x 1010 mm
Net Volume lt	206 Lt
Gross Volume lt	314 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
Catalogue Page	C42
	€ 1.103,00

CAX 3100 BT

Refrigerated counter

E





Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1795 x 700 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 910 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.231,00

CAX 3200 BT

Refrigerated counter

E






Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1795 x 700 x 960 mm
Packaging Dimensions (WxDxH)	1830 x 740 x 1010 mm
Net Volume lt	309 Lt
Gross Volume lt	465 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.305,00

CAX 4100 BT

Refrigerated counter

E






Temperature	-10°C / -20°C
External Dimensions (WxDxH)	2230 x 700 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
	€ 1.487,00

CAX 4200 BT

Refrigerated counter


E





Temperature	-10°C / -20°C
External Dimensions (WxDxH)	2230 x 700 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 740 x 1010 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
	€ 1.513,00

PSX 2100 TN

Pastry refrigerated counter




C





Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 860 mm
Packaging Dimensions (WxDxH)	1550 x 840 x 910 mm
Net Volume lt	304 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30
	€ 1.059,00

PSX 2200 TN WITH SPLASHBACK

Pastry refrigerated counter



C





Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1510 x 800 x 960 mm
Packaging Dimensions (WxDxH)	1550 x 840 x 1010 mm
Net Volume lt	304 Lt
Gross Volume lt	428 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40' / 40' HC	30
	€ 1.110,00

PSX 3100 TN

Pastry refrigerated counter




C




Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 860 mm
Packaging Dimensions (WxDxH)	2050 x 840 x 910 mm
Net Volume lt	456 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	28
	€ 1.239,00

PSX 3200 TN WITH SPLASHBACK

Pastry refrigerated counter




C





Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2020 x 800 x 960 mm
Packaging Dimensions (WxDxH)	2050 x 840 x 1010 mm
Net Volume lt	456 Lt
Gross Volume lt	635 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	14
Load capacity CNT 40' / 40' HC	28
	€ 1.281,00

SNACK 2100 TN

Refrigerated counter




C





Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 600 x 860 mm
Packaging Dimensions (WxDxH)	1400 x 640 x 910 mm
Net Volume lt	172 Lt
Gross Volume lt	260 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 838,00

SNACK 2200 TN WITH SPLASHBACK

Refrigerated counter





C



Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1360 x 600 x 960 mm
Packaging Dimensions (WxDxH)	1400 x 640 x 1010 mm
Net Volume lt	172 Lt
Gross Volume lt	260 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 879,00

SNACK 3100 TN

D






Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 600 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 640 x 910 mm
Net Volume lt	258 Lt
Gross Volume lt	386 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.027,00

SNACK 3200 TN WITH SPLASHBACK

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	1795 x 600 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 640 x 910 mm
Net Volume lt	258 Lt
Gross Volume lt	386 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.099,00

SNACK 4100 TN

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 600 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 640 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
	€ 1.234,00

SNACK 4200 TN WITH SPLASHBACK

D





Refrigerated counter

Temperature	-2°C / +8°C
External Dimensions (WxDxH)	2230 x 600 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 640 x 1010 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
	€ 1.260,00

SNACK 2100 BT

E





Refrigerated counter

Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1360 x 600 x 860 mm
Packaging Dimensions (WxDxH)	1400 x 640 x 910 mm
Net Volume lt	172 Lt
Gross Volume lt	260 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 1.041,00

SNACK 2200 BT WITH SPLASHBACK

E






Refrigerated counter

Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1360 x 600 x 960 mm
Packaging Dimensions (WxDxH)	1400 x 640 x 1010 mm
Net Volume lt	172 Lt
Gross Volume lt	260 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	24
Load capacity CNT 40' / 40' HC	48
	€ 1.083,00

SNACK 3100 BT

E






Refrigerated counter

Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1795 x 600 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 640 x 910 mm
Net Volume lt	258 Lt
Gross Volume lt	386 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.235,00

SNACK 3200 BT WITH SPLASHBACK

E





Refrigerated counter

Temperature	-10°C / -20°C
External Dimensions (WxDxH)	1795 x 600 x 860 mm
Packaging Dimensions (WxDxH)	1830 x 640 x 910 mm
Net Volume lt	258 Lt
Gross Volume lt	386 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	19
Load capacity CNT 40' / 40' HC	38
	€ 1.311,00

SNACK 4100 BT

F





Refrigerated counter

Temperature	-10°C / -20°C
External Dimensions (WxDxH)	2230 x 600 x 860 mm
Packaging Dimensions (WxDxH)	2260 x 640 x 910 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
	€ 1.414,00

SNACK 4200 BT WITH SPLASHBACK

F




Refrigerated counter

Temperature	-10°C / -20°C
External Dimensions (WxDxH)	2230 x 600 x 960 mm
Packaging Dimensions (WxDxH)	2260 x 640 x 1010 mm
Net Volume lt	412 Lt
Gross Volume lt	616 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	16
Load capacity CNT 40' / 40' HC	32
	€ 1.440,00

SMART LINK WIFI KIT

FOR MODELS



THIN AGER
GN 770 TN
GN 770 TNG
AXF 800 TN - AXF 800 BT
AXT 710/1520 TN
AXT 710/1520 BT
AX 400 TNV - GN1/1
AX 700 TN - GN2/1
AX 400 BTV - GN1/1
AX 700 BT - GN2/1
AX 1500 TN
AX 1500 BT
AX 600 FISH
SALADETTE S 901 TOP
SALADETTE S 903 TOP
PZ 02 C
PZ 03
PZ 01 C
PZ 02

CAX 2100/2200
CAX 3100/3200 (ALL MODELS)
CAX 4100/4200 (ALL MODELS)
PSX 2100/2200 TN
PSX 3100/3200 TN
SNACK 2100/2200
SNACK 3100/3200
SNACK 4100/4200
RWX 1200-1400-1500-1800-2000
SH 150
SH 180

SMART KIT - € 275,00

SMART LINK WIFI (ONLY RECEIVER)

FOR MODELS



KLIMEAT 600 BLK
KLIMEAT 1200 BLK

TRS 081 WIFI - € 150,00

CASTORS WITH/WITHOUT BRAKE - h 130 mm

FOR MODELS



AX 400 TNV - GN1/1
AX 700 TN - GN2/1
AX 400 BTV - GN1/1
AX 700 BT - GN2/1
AX 1500 TN
AX 1500 BT
SALADETTE S 901 TOP
SALADETTE S 903 TOP
SALADETTE S 903 PZ
PZ 02 C
PZ 03
PZ 01 C
PZ 02

SALADETTE S 901 TOP
SALADETTE S 903 TOP
PZ 02 C
PZ 03
PZ 01 C
SNACK 2100/2200
SNACK 3100/3200
SNACK 4100/4200
CAX 2100/2200
CAX 3100/3200 (ALL MODELS)
CAX 4100/4200 (ALL MODELS)
PSX 2100/2200 TN
PSX 3100/3200 TN

RUT 022 - € 40,00
(WITH BRAKE) RUT 019 - € 40,00

AXT 710 TN
AXT 710 BT
AXT 1520 TN
AXT 1520 BT

RUT 043 - € 64,00
(WITH BRAKE) RUT 044 - € 67,00

DRAWERS

FOR MODELS



CAX 2100/2200
CAX 3100/3200
CAX 4100/4200

1/2+1/2 DRAWERS SET CAX CSS 002 - € 560,00
1/3+2/3 DRAWERS SET CAX CSS 003 - € 680,00
1/3+1/3+1/3 DRAWERS SET CAX CSS 004 - € 760,00

HANGING BARS



FOR MODELS



KLIMEAT 600 BLK
KLIMEAT 1200 BLK

KIT 3 STAINLESS STEEL HANGING BARS **KLM 001 - € 280,00**
KIT 3 STAINLESS STEEL HANGING BARS **KLM 002 - € 340,00**


IGLOO 18



Jumbo island freezer

Temperature	-18°C / -21°C
External Dimensions (WxDxH)	1850 x 850 x 795 mm
Packaging Dimensions (WxDxH)	1903 x 934 x 937 mm
Net Volume lt	436 Lt
Gross Volume lt	630 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	12
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24
	€ 1.263,00



IGLOO 21



Jumbo island freezer

Temperature	-18°C / -21°C
External Dimensions (WxDxH)	2100 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2175 x 934 x 1010 mm
Net Volume lt	621 Lt
Gross Volume lt	850 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	12
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24
	€ 1.334,00



IGLOO 25



Jumbo island freezer

Temperature	-18°C / -21°C
External Dimensions (WxDxH)	2500 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2580 x 934 x 1010 mm
Net Volume lt	766 Lt
Gross Volume lt	1040 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	8
Load capacity CNT 40'	8
Load capacity CNT 40' HC	16
	€ 1.581,00



CAPRI 180



Jumbo island freezer

Temperature	-18°C / -23°C
External Dimensions (WxDxH)	1856 x 870 x 820 mm
Packaging Dimensions (WxDxH)	1910 x 920 x 946 mm
Net Volume lt	471 Lt
Gross Volume lt	658 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	12
Load capacity CNT 40'	26
Load capacity CNT 40' HC	26
	€ 1.238,00



CAPRI 210



Jumbo island freezer

Temperature	-18°C / -23°C
External Dimensions (WxDxH)	2106 x 870 x 925 mm
Packaging Dimensions (WxDxH)	2160 x 920 x 1050 mm
Net Volume lt	698 Lt
Gross Volume lt	912 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	12
Load capacity CNT 40'	26
Load capacity CNT 40' HC	26
	€ 1.255,00



MANHATTAN 14



Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	1450 x 850 x 870 mm
Packaging Dimensions (WxDxH)	1554 x 994 x 1010 mm
Net Volume lt	402 Lt
Gross Volume lt	575 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	15
Load capacity CNT 40'	30
Load capacity CNT 40' HC	30
	€ 1.287,00



MANHATTAN 18



Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	1850 x 850 x 870 mm
Packaging Dimensions (WxDxH)	1933 x 994 x 1010 mm
Net Volume lt	523 Lt
Gross Volume lt	745 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	12
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24
	€ 1.400,00



MANHATTAN 21



Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	2100 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2204 x 994 x 1010 mm
Net Volume lt	646 Lt
Gross Volume lt	900 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	8
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24
	€ 1.379,00



MANHATTAN 25



Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	2500 x 850 x 870 mm
Packaging Dimensions (WxDxH)	2604 x 994 x 1010 mm
Net Volume lt	796 Lt
Gross Volume lt	1105 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	8
Load capacity CNT 40'	24
Load capacity CNT 40' HC	24
	€ 1.609,00


MANHATTAN BTM 145



Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	1454 x 850 x (870+210) mm
Packaging Dimensions (WxDxH)	1584 x 994 x 1205 mm
Net Volume lt	402 Lt
Gross Volume lt	575 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	11
Load capacity CNT 40'	20
Load capacity CNT 40' HC	20
	€ 1.195,00




ALASKA TOP 145



Freezer showcase

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	1450 x 590 x 1022 mm
Packaging Dimensions (WxDxH)	1530 x 660 x 1245 mm
Net Volume lt	232 Lt
Gross Volume lt	373 Lt
Load capacity CNT 20'	11
Load capacity CNT 40'	20
Load capacity CNT 40' HC	20
	€ 1.180,00



MANHATTAN BTM 210



Jumbo island freezer

Temperature	-22°C / +10°C
External Dimensions (WxDxH)	2104 x 850 x (870+210) mm
Packaging Dimensions (WxDxH)	2234 x 994 x 1205 mm
Net Volume lt	646 Lt
Gross Volume lt	900 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	7
Load capacity CNT 40'	14
Load capacity CNT 40' HC	14
	€ 1.337,00

ALASKA TOP 210




Freezer showcase

Temperature	-22°C / -18°C
External Dimensions (WxDxH)	2100 x 590 x 1022 mm
Packaging Dimensions (WxDxH)	2180 x 660 x 1245 mm
Net Volume lt	346 Lt
Gross Volume lt	559 Lt
Load capacity CNT 20'	7
Load capacity CNT 40'	14
Load capacity CNT 40' HC	14

€ 1.545,00

OPEN 400





Multideck cooler

Temperature	+2°C / +10°C
External Dimensions (WxDxH)	918 x 792 x 1459 mm
Packaging Dimensions (WxDxH)	1010 x 940 x 1685 mm
Net Volume lt	270 Lt
Gross Volume lt	320 Lt
Load capacity CNT 20'	12
Load capacity CNT 40' HC	24

€ 1.795,00

MR 75 BT1




Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	750 x 760 x 1997 mm
Packaging Dimensions (WxDxH)	790 x 790 x 2210 mm
Net Volume lt	425 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

€ 1.569,00

MR 75 BT1 BLK





Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	750 x 760 x 1997 mm
Packaging Dimensions (WxDxH)	790 x 790 x 2210 mm
Net Volume lt	425 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

€ 1.569,00

MR 75 BT1 GRY





Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	750 x 760 x 1997 mm
Packaging Dimensions (WxDxH)	790 x 790 x 2210 mm
Net Volume lt	425 Lt
Gross Volume lt	560 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

€ 1.569,00

MR 126 BT2





Multideck freezer

Temperature	-18°C / -22°C
External Dimensions (WxDxH)	1253 x 760 x 1997 mm
Packaging Dimensions (WxDxH)	1280 x 770 x 2090 mm
Net Volume lt	780 Lt
Gross Volume lt	930 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 2.197,00

MR 126 BT2 BLK





Multideck freezer

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 40'
Load capacity CNT 40' HC

-18°C / -22°C
1253 x 760 x 1997 mm
1280 x 770 x 2090 mm
780 Lt
930 Lt
Optional **€275,00** (no assembly)
27
27

€ 2.197,00

MR 126 BT2 GRY





Multideck freezer

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 40'
Load capacity CNT 40' HC

-18°C / -22°C
1253 x 760 x 1997 mm
1280 x 770 x 2090 mm
780 Lt
930 Lt
Optional **€275,00** (no assembly)
27
27

€ 2.197,00

MR 188 BT3





Multideck freezer

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 40'
Load capacity CNT 40' HC

-18°C / -22°C
1880 x 760 x 1997 mm
1920 x 770 x 2210 mm
1200 Lt
1450 Lt
Optional **€275,00** (no assembly)
18
18

€ 2.839,00

MR 188 BT3 BLK





Multideck freezer

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 40'
Load capacity CNT 40' HC

-18°C / -22°C
1880 x 760 x 1997 mm
1920 x 770 x 2210 mm
1200 Lt
1450 Lt
Optional **€275,00** (no assembly)
18
18

€ 2.839,00

MR 188 BT3 GRY





Multideck freezer

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 40'
Load capacity CNT 40' HC

-18°C / -22°C
1880 x 760 x 1997 mm
1920 x 770 x 2210 mm
1200 Lt
1450 Lt
Optional **€275,00** (no assembly)
18
18

€ 2.839,00

MR 75 TN1




Multideck cooler

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Net Volume lt
Gross Volume lt
Smart Link Wifi (Kit)
Load capacity CNT 40'
Load capacity CNT 40' HC

0°C / +10°C
750 x 710 x 1997 mm
790 x 790 x 2210 mm
496 Lt
600 Lt
Optional **€275,00** (no assembly)
45
45

€ 953,00

MR 75 TN1 BLK





Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	750 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	790 x 790 x 2210 mm
Net Volume lt	496 Lt
Gross Volume lt	600 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

€ 953,00

MR 75 TN1 GRY





Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	750 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	790 x 790 x 2210 mm
Net Volume lt	496 Lt
Gross Volume lt	600 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 40'	45
Load capacity CNT 40' HC	45

€ 953,00

MR 126 TN2





Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1253 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	1280 x 770 x 2090 mm
Net Volume lt	874 Lt
Gross Volume lt	1000 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 1.420,00

MR 126 TN2 BLK





Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1253 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	1280 x 770 x 2090 mm
Net Volume lt	874 Lt
Gross Volume lt	1000 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 1.420,00

MR 126 TN2 GRY





Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1253 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	1280 x 770 x 2090 mm
Net Volume lt	874 Lt
Gross Volume lt	1000 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27

€ 1.420,00

MR 188 TN3





Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1880 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	1920 x 770 x 2210 mm
Net Volume lt	1345 Lt
Gross Volume lt	1530 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	18
Load capacity CNT 40' HC	18

€ 2.021,00



MR 188 TN3 BLK



Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1880 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	1920 x 770 x 2210 mm
Net Volume lt	1345 Lt
Gross Volume lt	1530 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	18
Load capacity CNT 40' HC	18
	€ 2.021,00



MR 188 TN3 GRY



Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1880 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	1920 x 770 x 2210 mm
Net Volume lt	1345 Lt
Gross Volume lt	1530 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	18
Load capacity CNT 40' HC	18
	€ 2.021,00



MR 250 TN4



Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	2508 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	2540 x 770 x 2100 mm
Net Volume lt	1817 Lt
Gross Volume lt	2060 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	12
Load capacity CNT 40' HC	12
	€ 2.897,00



MR 250 TN4 BLK



Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	2508 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	2540 x 770 x 2100 mm
Net Volume lt	1817 Lt
Gross Volume lt	2060 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	12
Load capacity CNT 40' HC	12
	€ 2.897,00


MR 250 TN4 GRY



Multideck cooler

Temperature	0°C / +10°C
External Dimensions (WxDxH)	2508 x 710 x 1997 mm
Packaging Dimensions (WxDxH)	2540 x 770 x 2100 mm
Net Volume lt	1817 Lt
Gross Volume lt	2060 Lt
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)
Load capacity CNT 20'	-
Load capacity CNT 40'	12
Load capacity CNT 40' HC	12
	€ 2.897,00


MILANO 630 WHT



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	625 x 785 x 2040 mm
Packaging Dimensions (WxDxH)	670 x 870 x 2230 mm
Net Volume lt	527 Lt
Gross Volume lt	551 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 20'	23
Load capacity CNT 40'	46
Load capacity CNT 40' HC	46
	€ 794,00




MILANO 630 BLK



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	625 x 785 x 2040 mm
Packaging Dimensions (WxDxH)	670 x 870 x 2230 mm
Net Volume lt	527 Lt
Gross Volume lt	551 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 20'	23
Load capacity CNT 40'	46
Load capacity CNT 40' HC	46
	€ 794,00



MILANO 1270 BLK



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1270 x 740 x 2040 mm
Packaging Dimensions (WxDxH)	1280 x 800 x 2230 mm
Net Volume lt	1095 Lt
Gross Volume lt	1215 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 20'	13
Load capacity CNT 40'	27
Load capacity CNT 40' HC	27
	€ 1.397,00




MILANO 1620 WHT



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1620 x 740 x 2040 mm
Packaging Dimensions (WxDxH)	1630 x 800 x 2230 mm
Net Volume lt	1420 Lt
Gross Volume lt	1560 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 20'	10
Load capacity CNT 40'	21
Load capacity CNT 40' HC	21
	€ 1.903,00



MILANO 1620 BLK



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1620 x 740 x 2040 mm
Packaging Dimensions (WxDxH)	1630 x 800 x 2230 mm
Net Volume lt	1420 Lt
Gross Volume lt	1560 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 20'	10
Load capacity CNT 40'	21
Load capacity CNT 40' HC	21
	€ 1.926,00



MILANO 1910 WHT



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1910 x 740 x 2040 mm
Packaging Dimensions (WxDxH)	1950 x 800 x 2230 mm
Net Volume lt	1630 Lt
Gross Volume lt	1850 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 40' HC	15
	€ 2.923,00


MILANO 1910 BLK



Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1910 x 740 x 2040 mm
Packaging Dimensions (WxDxH)	1950 x 800 x 2230 mm
Net Volume lt	1630 Lt
Gross Volume lt	1850 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 40' HC	15
	€ 2.923,00

MILANO 630 BT BLK






Multideck cooler

Temperature	-23 °C / -18 °C
External Dimensions (WxDxH)	665 x 800 x 2040 mm
Packaging Dimensions (WxDxH)	760 x 870 x 2230 mm
Net Volume lt	500 Lt
Gross Volume lt	550 Lt
Smart Link Wifi (only receiver)	Optional €150,00 (no assembly)
Load capacity CNT 20'	18
Load capacity CNT 40'	42
Load capacity CNT 40' HC	42

€ 1.639,00

VISION 150






Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1310 x 740 x 2010 mm
Packaging Dimensions (WxDxH)	1340 x 767 x 2120 mm
Net Volume lt	764 Lt
Gross Volume lt	1292 Lt
Load capacity CNT 40' HC	25

€ 2.289,00

VISION 200





Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	1935 x 740 x 2010 mm
Packaging Dimensions (WxDxH)	1965 x 767 x 2120 mm
Net Volume lt	1147 Lt
Gross Volume lt	1939 Lt
Load capacity CNT 40' HC	18

€ 3.174,00

VISION 250





Multideck cooler

Temperature	+1°C / +10°C
External Dimensions (WxDxH)	2560 x 740 x 2010 mm
Packaging Dimensions (WxDxH)	2590 x 767 x 2120 mm
Net Volume lt	1529 Lt
Gross Volume lt	2585 Lt
Load capacity CNT 40' HC	12

€ 4.000,00

SAMA 95 L





Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1000 x 1000 x 1280 mm
Packaging Dimensions (WxDxH)	1100 x 1100 x 1430 mm
Display area	0,7 mq
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)

€ 2.009,00

SAMA 125 L





Meat & deli counter

Temperature	0°C / +10°C
External Dimensions (WxDxH)	1310 x 1000 x 1280 mm
Packaging Dimensions (WxDxH)	1410 x 1100 x 1430 mm
Display area	0,9 mq
Smart Link Wifi (Kit)	Optional €275,00 (no assembly)

€ 2.179,00

SAMA 150 L





Meat & deli counter

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Display area
Smart Link Wifi (Kit)

+0°C / +10°C
1560 x 1000 x 1280 mm
1660 x 1100 x 1430 mm
1,1 mq
Optional **€275,00** (no assembly)

€ 2.551,00

SAMA 125 XL





Meat & deli counter

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Display area
Smart Link Wifi (Kit)

0°C / +10°C
1310 x 1200 x 1280 mm
1410 x 1300 x 1430 mm
1,13 mq
Optional **€275,00** (no assembly)

€ 2.246,00

SAMA 150 XL





Meat & deli counter

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Display area
Smart Link Wifi (Kit)

0°C / +10°C
1560 x 1200 x 1280 mm
1660 x 1300 x 1430 mm
1,36 mq
Optional **€275,00** (no assembly)

€ 2.599,00

SAMA 190 XL






Meat & deli counter

Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Display area
Smart Link Wifi (Kit)

0°C / +10°C
1935 x 1200 x 1280 mm
2035 x 1300 x 1430 mm
1,69 mq
Optional **€275,00** (no assembly)

€ 3.149,00

SAMA 250 XL



Meat & deli counter


Temperature
External Dimensions (WxDxH)
Packaging Dimensions (WxDxH)
Display area
Smart Link Wifi (Kit)

0°C / +10°C
2560 x 1200 x 1280 mm
2660 x 1300 x 1430 mm
2,25 mq
Optional **€275,00** (no assembly)

€ 3.770,00

SMART LINK WIFI KIT

FOR MODELS



IGLOO 18
IGLOO 21
IGLOO 25
CAPRI 180
CAPRI 210
MR 75 BT1
MR 126 BT2
MR 188 BT3
MR 75 TN1

MR 126 TN2
MR 188 TN3
MR 250 TN4
SAMA 95 L
SAMA 125 L
SAMA 125 XL
SAMA 150 XL
SAMA 190 XL
SAMA 250 XL

MANHATTAN 14-18-21-25
MANHATTAN BTM 145-210

SMART KIT - € 275,00

SMART LINK WIFI KIT (ONLY RECEIVER)

FOR MODELS



MILANO 630
MILANO 1270
MILANO 1620
MILANO 1910

TRS 081 WIFI - € 150,00

Reproduction in whole or in part of texts, images,
drawings or any type of material included in this catalogue is prohibited.
La Mito srl Distribuzione reserves the right to make any change in materials and product itself without notice.
Photos and data contained in the catalogue are to be considered reliable except for printing errors.
Prices may vary so, before proceeding with an order, please check to the commercial office.



AZIENDA CERTIFICATA



Dasa-Rägister
EN ISO 9001 (2015)
IQ-0513-01



RATING DI LEGALITÀ



La MITO srl Distribuzione srl

Via della tecnica e dell'innovazione, 7/9/11 - Z.I.

70015 Noci - Bari - ITALY

Tel. +39 080 497 1444 | +39 080 497 2902

Fax +39 080 494 9182

info@klimaitalia.it